





**PIGNI PER BUSSOLA CONICA TEMPERATI AD INDUZIONE - DIN 8187 - ISO 606**  
**SPROCKETS FOR TAPER BUSHES WITH HARDENED TEETH - DIN 8187 - ISO 606**

**3/8" x 7/32"**  
**9,525 x 5,72 mm**  
**Rullo 6,35 mm**  
**06B - 1**

| B1  | C | r3 |
|-----|---|----|
| 5,3 | 1 | 10 |

Materiale: Acciaio C45

| Z  | de   | dp    | codice    | semplici |    |         |      |
|----|------|-------|-----------|----------|----|---------|------|
|    |      |       |           | dm       | A  | bussola | Kg.  |
| 17 | 55,5 | 51,83 | 391330017 | 45       | 22 | 1008    | 0,11 |
| 19 | 61,6 | 57,86 | 391330019 | 45       | 22 | 1008    | 0,15 |
| 21 | 67,6 | 63,90 | 391330021 | 46       | 22 | 1008    | 0,18 |
| 23 | 73,7 | 69,95 | 391330023 | 63       | 25 | 1210    | 0,27 |
| 25 | 79,7 | 75,99 | 391330025 | 63       | 25 | 1210    | 0,32 |





**1/2" x 5/16"**  
**12,7 x 7,75 mm**  
**Rullo 8,51 mm**  
**08B - 1**

| B1  | C   | r3 |
|-----|-----|----|
| 7,2 | 1,3 | 13 |

Materiale: Acciaio C45

| Z  | de   | dp    | codice    | semplici |    |         |      |
|----|------|-------|-----------|----------|----|---------|------|
|    |      |       |           | dm       | A  | bussola | Kg.  |
| 15 | 66,5 | 61,80 | 391340015 | 45       | 22 | 1008    | 0,16 |
| 17 | 74,5 | 69,11 | 391340017 | 60       | 25 | 1210    | 0,22 |
| 19 | 82,5 | 77,15 | 391340019 | 63       | 25 | 1210    | 0,33 |
| 21 | 90,6 | 85,21 | 391340021 | 71       | 25 | 1610    | 0,36 |
| 23 | 98,7 | 93,26 | 391340023 | 76       | 25 | 1610    | 0,50 |





**5/8" x 3/8"**  
**15,875 x 9,65 mm**  
**Rullo 10,16 mm**  
**10B - 1**

| B1  | C   | r3 |
|-----|-----|----|
| 9,1 | 1,6 | 16 |

Materiale: Acciaio C45

| Z  | de    | dp     | codice    | semplici |    |         |      |
|----|-------|--------|-----------|----------|----|---------|------|
|    |       |        |           | dm       | A  | bussola | Kg.  |
| 13 | 73,2  | 66,33  | 391350013 | 47       | 22 | 1008    | 0,23 |
| 15 | 83,2  | 76,35  | 391350015 | 60       | 25 | 1210    | 0,30 |
| 17 | 93,3  | 86,39  | 391350017 | 71       | 25 | 1610    | 0,38 |
| 19 | 103,3 | 96,44  | 391350019 | 75       | 25 | 1610    | 0,54 |
| 21 | 113,4 | 106,51 | 391350021 | 76       | 25 | 1610    | 0,65 |



| Z  | de   | dp    | codice    | semplici |    |         |      |
|----|------|-------|-----------|----------|----|---------|------|
|    |      |       |           | dm       | A  | bussola | Kg.  |
| 27 | 85,7 | 82,04 | 391330027 | 63       | 25 | 1210    | 0,34 |
| 30 | 94,8 | 91,12 | 391330030 | 63       | 25 | 1210    | 0,39 |

| Z  | de    | dp     | codice    | semplici |    |         |      |
|----|-------|--------|-----------|----------|----|---------|------|
|    |       |        |           | dm       | A  | bussola | Kg.  |
| 25 | 106,7 | 101,32 | 391340025 | 76       | 25 | 1610    | 0,56 |
| 27 | 114,8 | 109,39 | 391340027 | 76       | 25 | 1610    | 0,63 |
| 30 | 126,9 | 121,49 | 391340030 | 90       | 32 | 2012    | 0,91 |

| Z  | de    | dp     | codice    | semplici |    |         |      |
|----|-------|--------|-----------|----------|----|---------|------|
|    |       |        |           | dm       | A  | bussola | Kg.  |
| 23 | 123,5 | 116,58 | 391350023 | 76       | 25 | 1610    | 0,77 |
| 25 | 133,6 | 126,66 | 391350025 | 90       | 32 | 2012    | 1,05 |
| 27 | 143,6 | 136,74 | 391350027 | 90       | 32 | 2012    | 1,17 |
| 30 | 158,8 | 151,87 | 391350030 | 90       | 32 | 2012    | 1,40 |